TECHNICAL BULLETIN

[Issue No.] GOT-A-0050 [Page] 1/2
[Title] Restoring the Position of the CF Card Eject Button for the CF Card Interface of the GT16 Models
[Date of Issue] September 2011
[Relevant Models] GOT1000 Series (GT16 Models)

Thank you for your continued support of Mitsubishi Graphic Operation Terminal (GOT).

In Technical Bulletin GOT-A-0042 "Change to the CF Card Interface of the GT16 Models (Handling of the Great East Japan Earthquake)", we announced the information about the temporary release of the GT16 models with the position of the CF card eject button for the CF card interface changed. However, the parts of the GOT are now available. We will resume production of the GT16 models with the CF card eject button restored to its normal position (normal GOTs).

1. Target GOT

GT16 models (excluding the GT1655 and the GT1665HS-VTBD)

2. How to identify the temporary GOT and the normal GOT

The following table shows the hardware versions of the temporary GOTs and those of the normal GOTs. The CF card eject button for the CF card interface of a temporary GOT is restored to its normal position.

Model	Hardware version		
	Temporary GOT	Normal GOT	
GT1695M-XTBA	C to E	F or later	
GT1695M-XTBD	B to D	E or later	
GT1685M-STBA	Z to B	C or later	
GT1685M-STBD	A to C	D or later	
GT1675M-STBA	P to R	S or later	
GT1675M-STBD	Q to S	T or later	
GT1675M-VTBA	P to S	T or later	
GT1675M-VTBD	Q to T	U or later	
GT1675-VNBA	K to M	N or later	
GT1675-VNBD	M to P	Q or later	
GT1672-VNBA	K to M	N or later	
GT1672-VNBD	M to P	Q or later	
GT1665M-STBA	T to V	W or later	
GT1665M-STBD	T to V	W or later	
GT1665M-VTBA	V to X	Y or later	
GT1665M-VTBD	W to Y	Z or later	
GT1662-VNBA	J to L	M or later	
GT1662-VNBD	L to N	P or later	




TECHNICAL BULLETIN

[Issue No.] GOT-A-0050 [Page] 2/2
[Title] Restoring the Position of the CF Card Eject Button for the CF Card Interface of the GT16 Models
[Date of Issue] September 2011
[Relevant Models] GOT1000 Series (GT16 Models)


The following shows how to check the hardware version.

Rating plate (GOT rear face)



3. Difference between the temporary GOT and the normal GOT

The CF card eject button for the CF card interface of a temporary GOT is restored to its normal position. Though the position of the CF card eject button differs between the temporary GOT and the normal GOT, the other functions and the specifications do not differ between the temporary GOT and the normal GOT.



Version	Print date	Revision
*	September 2011	- First edition

MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE : TOKYO BUILDING, 2-7-3 MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN NAGOYA WORKS : 1-14, YADA-MINAMI 5-CHOME, HIGASHI-KU, NAGOYA, JAPAN