TECHNICAL BULLETIN

[Issue No.] GOT-A-0082

[Page] 1/3

[Title] Changes of the RS-232, RS-422/485, and Ethernet interfaces for the GOT2000 series GT27 models

[Date of Issue] March 2015

[Relevant Models] GOT2000 Series (GT2715, GT2712, GT2710, GT2708)

Thank you for your continued support of Mitsubishi Graphic Operation Terminal (GOT).

To ensure a stable procurement of parts, we will change the RS-232, RS-422/485, and Ethernet interfaces for GT27 models in the GOT2000 series.

Along with the above change, the surrounding structures of the interfaces will also be changed. However, these changes do not affect the GOT functions.

1. Overview

(1) Change places

The appearances of the RS-232, RS-422/485, and Ethernet interfaces and their surrounding structures are changed.



(2) Schedule

The changes will be made sequentially from April 2015 production.

TECHNICAL BULLETIN

[Issue No.] GOT-A-0082

[Page] 2/3


[Title] Changes of the RS-232, RS-422/485, and Ethernet interfaces for the GOT2000 series GT27 models

[Date of Issue] March 2015

[Relevant Models] GOT2000 Series (GT2715, GT2712, GT2710, GT2708)

2. Details of Changes

The following shows the details of the changes.



- 1) The appearance of the Ethernet interface is changed.
- 2) The appearance of the RS-232 interface is changed.
- 3) The appearance of the RS-422/485 interface is changed.
- 4) The color of the screw fastening portion of the RS-422/485 interface is changed from silver to black.
- 5) The color of chassis at the lower part of the RS-232 and RS-422/485 interfaces is changed from black to silver.
- 6) A plate is newly added around the RS-232, RS-422/485, and Ethernet interfaces.

TECHNICAL BULLETIN

[Issue No.] GOT-A-0082

[Page] 3/3

[Title] Changes of the RS-232, RS-422/485, and Ethernet interfaces for the GOT2000 series GT27 models

[Date of Issue] March 2015

[Relevant Models] GOT2000 Series (GT2715, GT2712, GT2710, GT2708)


3. How to Check the Target Product

The changes of the RS-232, RS-422/485, and Ethernet interfaces are applied to the GOTs with the hardware version as follows.

Model		Hardware version
GT2715	GT2715-XTBA	L or later
	GT2715-XTBD	L or later
GT2712	GT2712-STBA	S or later
	GT2712-STBD	S or later
	GT2712-STWA	S or later
	GT2712-STWD	S or later
GT2710	GT2710-STBA	T or later
	GT2710-STBD	T or later
	GT2710-VTBA	U or later
	GT2710-VTBD	U or later
	GT2710-VTWA	V or later
	GT2710-VTWD	V or later
GT2708	GT2708-STBA	M or later
	GT2708-STBD	M or later
	GT2708-VTBA	P or later
	GT2708-VTBD	P or later

The following shows how to check the hardware version.

■ Indication on the rating plate (GOT rear face)



Version	Print date	Revision
*	March 2015	- First edition