

TECHNICAL BULLETIN

[1/4]

[Issue No.] GOT-A-0128-C

[Title] Precautions when Replacing GOT-F900 Series, ET-940 Series, or A950 Handy GOT with GOT2000 Series for Japanese Market

[Date of Issue] March 2018 (Ver. C: December 2020)

[Relevant Models] GOT2000 Series, GOT-F900 Series, and GOT-A900 Series

Thank you for your continued support of Mitsubishi Electric Graphic Operation Terminal (GOT).

We released the GOT2000 series with high functionality and performance as an alternative of the GOT-F900 series, ET-940 series, and A950 Handy GOT in September 2013.

We highly recommend that you replace the GOT-F900 series, ET-940 series, or A950 Handy GOT with the GOT2000 series for using new sophisticated features.

For the replacement models, refer to "Table 1-1 Recommended replacement GOT models of the GOT2000 series" in Chapter 1 below.

1. Replacement models

Table 1-1 Recommended replacement GOT models of the GOT2000 series" introduces recommended models that have no or less restrictions in terms of the specifications on their replacement with the GOT2000 series.

Other models can be selected depending on the usage status in your system.

Select an appropriate model after carefully considering the specifications of the current system.

Table 1-1 Recommended replacement GOT models of the GOT2000 series

The values in brackets indicate the panel cutting dimensions. (Unit: [mm] (inch))

GOT-F900 series, ET-940 series, A950 Handy GOT			Recommended model for replacement	
F940WGOT	F940WGOT-TWD		GT2505-VTBD	
[206 (8.11) (W) × 124 (4.88) (H)]	F940WGOT-TWD-E		[153 (6.02) (W) × 121 (4.76) (H)]	
	F940WGOT-TWD-C			
F940GOT [153 (6.02) (W) × 121 (4.76) (H)]	F940GOT-SWD		GT2105-QTBDS *1	
	F940GOT-SWD-E		[153 (6.02) (W) × 121 (4.76) (H)]	
	F940GOT-SWD-C			
	F940GOT-LWD		GT2105-QMBDS *1	
	F940GOT-LWD-E		[153 (6.02) (W) × 121 (4.76) (H)]	
	F940GOT-LWD-C			
F943GOT [153 (6.02) (W) × 121 (4.76) (H)]	F943GOT-SWD		GT2105-QTBDS *1 [153 (6.02) (W) × 121 (4.76) (H)]	
	FO 40 COT LIMP			
	F943GOT-LWD		GT2105-QMBDS *1 [153 (6.02) (W) × 121 (4.76) (H)]	
F930GOT [137 (5.39) (W) × 66 (2.60) (H)]	F930GOT-BWD		GT2104-PMBDS *1	
	F930GOT-BWD-E		GT2104-PMBDS2 *1	
	F930GOT-BWD-C		[137 (5.39) (W) × 66 (2.60) (H)]	
	F930GOT-BWD-T			
	F933GOT-BWD		GT2104-PMBDS2 *1	
			[137 (5.39) (W) × 66 (2.60) (H)]	
F930GOT-K	F930GOT-BBD-K		GT2104-RTBD *1	
[155 (6.10) (W) × 170 (6.69) (H)]	F930GOT-BBD-K-E		[118 (4.65) (W) × 92 (3.62) (H)]	
	F930GOT-BBD-K-C			

TECHNICAL BULLETIN

[Issue No.] GOT-A-0128-C

GOT-F900 series, ET-940 ser	ies, A950 Handy GOT		Recommended model for replacement		
F920GOT-K	F920GOT-BBD-K-E F920GOT-BBD-K-C		GT2104-PMBDS *1 [137 (5.39) (W) × 66 (2.60) (H)]		
[92 (3.62) (W) × 119 (4.69) (H)]					
					F920GOT-BBD5-K
		F920GOT-BBD5-K-E		[137 (5.39) (W) × 66 (2.60) (H)]	
	F920GOT-BBD5-K-C				
F940GOT HANDY	F940GOT-SBD-H		GT2505HS-VTBD		
	F940GOT-SBD-H-E				
	F940GOT-LBD-H				
	F940GOT-LBD-H-E				
F943GOT HANDY	F943GOT-SBD-H		GT2505HS-VTBD		
	F943GOT-SBD-H-E				
	F943GOT-LBD-H				
	F943GOT-LBD-H-E				
F940GOT HANDY (RH model)	F940GOT-SBD-RH	_	GT2505HS-VTBD		
	F940GOT-SBD-RH-E	7			
	F940GOT-LBD-RH				
	F940GOT-LBD-RH-E				
F943GOT HANDY	F943GOT-SBD-RH		GT2505HS-VTBD		
(RH model)	F943GOT-SBD-RH-E				
	F943GOT-LBD-RH				
	F943GOT-LBD-RH-E				
F920GOT HANDY (RH model)	F920GOT-BBD-RH		No recommended model for replacement		
ET-940 (Electronic operation terminal)	ET-940BH		No recommended model for replacement		
	ET-940BH-L				
	ET-940PH				
	ET-940PH-L				
A950GOT HANDY	A950GOT-SBD-M3-H		GT2505HS-VTBD		
	A950GOT-LBD-M3-H				
A953GOT HANDY	A953GOT-SBD-M3-H		GT2505HS-VTBD		
	A953GOT-LBD-M3-H				

^{*1} Connectable controllers differ.

For the connectable controllers, refer to the following.

[→] GOT2000 Series Connection Manual (Mitsubishi Electric Products) For GT Works3 Version1 (SH-081197ENG)
GOT2000 Series Connection Manual (Non-Mitsubishi Electric Products 1) For GT Works3 Version1 (SH-081198ENG)
GOT2000 Series Connection Manual (Non-Mitsubishi Electric Products 2) For GT Works3 Version1 (SH-081199ENG)
GOT2000 Series Connection Manual (Microcomputers, MODBUS/Fieldbus Products, Peripherals) For GT Works3 Version1 (SH-081200ENG)

[Issue No.] GOT-A-0128-C

2. Converting the project data

To convert the project data of the GOT-F900 series, ET-940 series, or A950 Handy GOT into the one for the GOT2000 series, convert it into the one for the GOT1000 series temporarily.

Read the project data from the GOT by using GT Designer2 Classic.

Convert the read project data into the one for the GOT1000 series by using GT Designer3 (GOT1000). Then, convert it into the one for the GOT2000 series by using GT Designer3 (GOT2000).

For the GOT models of the GOT1000 series for temporary conversion, refer to the following table.

Table 2-1 GOT models of the GOT1000 series for temporary conversion

and GOT models of the GOT2000 series for replacement

	, ET-940 series, A950		GOT1000 series		GOT2000 series
Handy GOT F940WGOT	F940WGOT-TWD		GT1455-QTBD		GT2505-VTBD
F940WGO1	F940WGOT-TWD-E		GT1455-QTBD		G12505-V1BD
	F940WGOT-TWD-E	7			
		*1		*2	
F940GOT	F940GOT-SWD		GT1055-QSBD		GT2105-QTBDS
	F940GOT-SWD-E				
	F940GOT-SWD-C	-			070407 014070
	F940GOT-LWD		GT1050-QBBD		GT2105-QMBDS
	F940GOT-LWD-E				
	F940GOT-LWD-C				
F943GOT	F943GOT-SWD		GT1055-QSBD		GT2105-QTBDS
	F943GOT-LWD		GT1050-QBBD		GT2105-QMBDS
F930GOT	F930GOT-BWD		GT1030-HWDW	_	GT2104-PMBDS
	F930GOT-BWD-E	7	GT1030-HWDW2		GT2104-PMBDS2
	F930GOT-BWD-C	*1		*3	
	F930GOT-BWD-T				
	F933GOT-BWD		GT1030-HWDW2		GT2104-PMBDS2
F930GOT-K	F930GOT-BBD-K		GT1040-QBBD		GT2104-RTBD
	F930GOT-BBD-K-E				
	F930GOT-BBD-K-C				
F920GOT-K	F920GOT-BBD-K		GT1030-HBDW GT1030-HBLW		GT2104-PMBDS
	F920GOT-BBD-K-E				
	F920GOT-BBD-K-C				
	F920GOT-BBD5-K				GT2104-PMBLS
	F920GOT-BBD5-K-E				
	F920GOT-BBD5-K-C				
F940GOT HANDY	F940GOT-SBD-H		GT1455HS-QTBDE		GT2505HS-VTBD
	F940GOT-SBD-H-E				
	F940GOT-LBD-H		GT1450HS-QMBDE		
	F940GOT-LBD-H-E				
F943GOT HANDY	F943GOT-SBD-H		GT1455HS-QTBDE		
	F943GOT-SBD-H-E				
	F943GOT-LBD-H		GT1450HS-QMBDE		
	F943GOT-LBD-H-E				
F940GOT HANDY	F940GOT-SBD-RH	S	GT1455HS-QTBDE		
(RH model)	F940GOT-SBD-RH-E	*1		*2	
	F940GOT-LBD-RH		GT1450HS-QMBDE		
	F940GOT-LBD-RH-E				
F943GOT HANDY	F943GOT-SBD-RH		GT1455HS-QTBDE		
(RH model)	F943GOT-SBD-RH-E				
	F943GOT-LBD-RH	1	GT1450HS-QMBDE		
	F943GOT-LBD-RH-E				

TECHNICAL BULLETIN

[Issue No.] GOT-A-0128-C

GOT-F900 series, Handy GOT	ET-940 series, A950		GOT1000 series		GOT2000 series
F920GOT HANDY (RH model)	F920GOT-BBD-RH		No recommended model for replacement		No recommended model for replacement
ET-940	ET-940BH	No recommended model for replacement	-	No recommended model for replacement	
(Electronic	ET-940BH-L				
operation terminal)	ET-940PH				
	ET-940PH-L				
A950GOT HANDY	A950GOT-SBD-M3-H		GT1455HS-QTBDE		GT2505HS-VTBD
	A950GOT-LBD-M3-H	_	GT1450HS-QMBDE	_	
A953GOT HANDY	A953GOT-SBD-M3-H	7	GT1455HS-QTBDE	7	
	A953GOT-LBD-M3-H	*1	GT1450HS-QMBDE	*2	

^{*1} For the procedure for the project data conversion, refer to the following.

REVISIONS

Version	Print Date	Revision		
-	March 2018	- First edition		
Α	November 2018	- Added: Replacement model GT2505HS-VTBD		
В	November 2019	- Added: Annotation for replacement models		
С	December 2020	- Revised: Annotations of "1. Replacement models" and "2. Converting the project data"		

[→] REPLACEMENT GUIDANCE (For GOT1000 series) (JY997D39301)
*2 For the procedure for the project data conversion, refer to the following.

[→] Precautions when Replacing the GT14 Model with GT2505(HS)-VTBD (GOT-A-0125) Precautions when Replacing GOT1000 Series with GOT2000 Series (GOT-A-0061)

^{*3} For the procedure for the project data conversion, refer to the following.

[→] Information and precautions on replacing GOT1000 with GOT2000 (GT10 model → GT21 model) (GOT-A-0152)