

### **TECHNICAL BULLETIN**

[ 1/3]

FA-A-0425-A

# Additional Mark to be Displayed Due to Re-compliance With the KS Standard

■Date of Issue

January 2024

■Relevant Models

Network products

Thank you for your continued support of Mitsubishi Electric programmable controllers.

This technical bulletin informs you of the additional mark to be displayed on network products due to re-compliance with the KS standard (Radio Waves Act of South Korea).

## 1 RELEVANT MODELS

The following table lists the relevant models.

## 1.1 Network Products

CC-Link		
Product	Model	
100VAC input module	AJ65SBTB2N-8A, AJ65SBTB2N-16A	
24VDC input module	AJ65SBTB1-8D, AJ65SBTB3-8D, AJ65SBTB1-16D, AJ65SBTB1-16D1, AJ65SBTB3-16D, AJ65SBTB3-16KD, AJ65SBTB1-32D, AJ65SBTB1-32KD, AJ65SBTB1-32D1, AJ65SBTC4-16DE, AJ65SBTC1-32D, AJ65SBTC1-32D1, AJ65SBTCF1-32D	
5VDC input module	AJ65SBTB1-32D5	
Transistor output module	AJ65SBTB1-8T, AJ65SBTB1-8T1, AJ65SBTB2-8T, AJ65SBTB2-8T1, AJ65SBTB1-16T, AJ65SBTB1-16T1, AJ65SBTB2-16T, AJ65SBTB2-16T1, AJ65SBTB1-32T, AJ65SBTB1-32T1, AJ65SBTB1-8TE, AJ65SBTB1-16TE, AJ65SBTB1B-16TE1, AJ65SBTB1-32TE1, AJ65SBTC1-32T1, AJ65SBTCF1-32T	
Contact output module	AJ65SBTB2N-8R, AJ65SBTB2N-16R	
Triac output module	AJ65SBTB2N-8S, AJ65SBTB2N-16S	
Combined module	AJ65SBTB32-8DT, AJ65SBTB32-8DT2, AJ65SBTB1-16DT, AJ65SBTB1-16DT1, AJ65SBTB1-16DT2, AJ65SBTB1-16DT3, AJ65SBTB32-16DT, AJ65SBTB32-16DT2, AJ65SBTB32-16DT2, AJ65SBTB32-16DT2, AJ65SBTB32-16DT2, AJ65SBTB32-16DT2, AJ65SBTB1-32DT1, AJ65SBTB1-32DT2, AJ65SBTB1-32DT2, AJ65SBTB1-32DT3, AJ65SBTB1-32DT2, AJ65SBTC4-16DT2, AJ65SBTC1-32DT3, AJ65SBTCF1-32DT	


### 2 DETAILS ON THE CHANGE

The ESD susceptibility symbol will be added on the rating plate as follows.


The symbol is a warning symbol denoting a device's susceptibility to electrostatic discharge.

#### Case of AJ65SBTB1-32DT

#### ■Before change



### ■After change



#### 3 REASON FOR THE CHANGE

We have changed the electronic components used in these products to improve the availability of these products.

We have applied to the KS standard (Radio Waves Act of South Korea) again, and these products have acquired the KC mark. The ESD susceptibility symbol will be added to these products based on the requirements of the standard (KN 61131-2: 2018).

There is no impact on the general specifications, performance specifications, functions, and external dimensions of products due to the change.

Always discharge static electricity from your body by touching a grounded metal or other conductive object before touching these modules. Failure to do so may cause the module to fail or malfunction. For more detailed safety precautions regarding static electricity, check the standards IEC61340-5-1 and IEC61340-5-2.

#### 4 SCHEDULE

The change will be applied to the products manufactured on or after January 2024.

Note that both the pre-change and post-change products may be distributed in the market around the start of the change.

## FA-A-0425-A

## **REVISIONS**

Version	Date of Issue	Revision
A	January 2024	First edition

## **TRADEMARKS**

The company names, system names, and product names mentioned in this technical bulletin are either registered trademarks or trademarks of their respective companies.

In some cases, trademark symbols such as ¹™₁ or ¹®₁ are not specified in this technical bulletin.