

三菱電機ギヤードモータ セールスとサービス

No. 871 – 0239

ハイブリット梱包形態変更のお知らせ

平素より三菱電機ギヤードモータに格別のご高配を賜り、厚く御礼申し上げます。
このたび、吊り具の使用回数増加を目的としてテープ式から扉式に変更いたします。
今後とも三菱電機ギヤードモータをよろしくお願い申し上げます。

記

1.対象機種

ハイブリット梱包(木材+段ボール)されたギヤードモータ、S-PM ギヤードモータ
※対象機種一覧添付

2.変更内容

段ボール上部の吊り具用穴のテープ貼りを廃止し、段ボール開閉による扉式に変更します。

変更前	変更後
A photograph of a cardboard box with a red circle highlighting a white tape seal on the top flap. A red arrow points down to a box containing instructions. <p>1.このテープは異物侵入を防ぐものです。 This tape is to prevent foreign matters from getting inside. 2.製品吊り具を使用時はテープをはがして下さい。 Remove tape when hanging the product. 3.はがした場合は異物侵入に注意して下さい。 Handle with care after removing the tape. 4.テープが破れても品質に問題ありません。 Even when the tape is torn there is no problem in its quality.</p>	A photograph of the same box with the tape removed, showing the top flap open. A red circle highlights the gap where the tape was. A red arrow points down to a box containing instructions. <p>吊り具使用以外は開放厳禁 Except for the use of hanging, it is strictly prohibited to open. 天扉が破れても品質に問題ありません Even when the top door is torn, there is no problem in its quality.</p>

3.切替え時期

2023年8月生産分より順次切替えとなります。

以上

発行日付	2023年7月	件名	ハイブリット梱包形態変更のお知らせ	三菱電機 FA 産業機器株式会社 〒819-0192 福岡市西区今宿東1-1-1 TEL (092) 805-3141
------	---------	----	-------------------	---

添付資料：対象機種一覧(ハイブリット梱包となる製品に○)

■ギヤードモータ

・GM-S,SP

	1/3 ~ 1/50	1/60 ~ 1/100	1/120 ~ 1/200	1/270 ~ 1/450	1/540 ~ 1/1200
0.1kW					○
0.2kW				○	○
0.4kW			○	○	○
0.75kW		○	○	○	
1.5kW	○	○	○		
2.2kW	○	○			

・GM-D,DP

	1/3 ~ 1/30	1/40 ~ 1/50	1/60 ~ 1/100	1/120 ~ 1/200	1/270 ~ 1/450	1/540 ~ 1/1200
0.4kW			○	○	○	○
0.75kW	○	○	○	○	○	○
1.5kW	○	○	○	○	○	
2.2kW	○	○	○	○		
3.7kW	○	○	○			
5.5kW	○	○				
7.5kW	○					

・GM-SHY,SHYP

	1/5 ~ 1/60	1/80 ~ 1/120	1/160 ~ 1/240
0.1kW			
0.2kW			
0.4kW			
0.75kW	○	○	○
1.5kW	○	○	○
2.2kW	○	○	

・GM-SSY,SSYP

	1/7.5 ~ 1/30	1/40 ~ 1/60
0.1kW		
0.2kW		
0.4kW		
0.75kW		○
1.5kW	○	○
2.2kW	○	○

■ S-PM ギヤードモータ

・GV-S

	1/5 ~ 1/50	1/60 ~ 1/100	1/120 ~ 1/200	1/270 ~ 1/450	1/540 ~ 1/1200
0.1kW					○
0.2kW					○
0.4kW				○	○
0.75kW			○	○	○
1.5kW		○	○	○	
2.2kW	○	○	○		

・GV-SHY

	1/5 ~ 1/60	1/80 ~ 1/120	1/160 ~ 1/240
0.1kW			
0.2kW			
0.4kW			
0.75kW			
1.5kW	○	○	○
2.2kW	○	○	○

・GV-SSY

	1/7.5 ~ 1/30	1/40 ~ 1/60
0.1kW		
0.2kW		
0.4kW		
0.75kW		
1.5kW		○
2.2kW	○	

■その他特殊品

ハイブリット梱包となる立体駐車場用ギヤードモータなどの特殊品についても対象となります。