

MELく〜るLINK Ver.2.1.0 機能別 国内管理対象機器一覧

※対象機種には耐塩使用（形名末尾**BS）、重耐塩使用（形名末尾**BSG）を含みます。

改定日付

2024.5.14

凡例 ○：対応 -：非対応

機種群	シリーズ	略称	形名	冷媒漏えい診断	運転データ見える化	異常発報		
ビル用マルチエアコン	空冷 冷暖切替 シティマルチY（高効率）	PUHY-P	PUHY-P140/160M-A(1)	-	○	○		
			PUHY-P224/280(V)M-B(1)	-	○	○		
			PUHY-P140/160/224/280RM-B	-	○	○		
			PUHY-P224/280M-Z	-	○	○		
			PUHY-P140/160/224/280RM-C	-	○	○		
			PUHY-P355(V)BM-B1	-	○	○		
			PUHY-P450/560/630(V)BM-B1	-	○	○		
			PUHY-P355/450/500/560/630RBM-C	-	○	○		
			PUHY-P450/560SM-B1	-	○	○		
			PUHY-P280/355IM-B	-	○	○		
			PUHY-P450/560IM-B	-	○	○		
			PUHY-P280/355/450/560IKM-B2(ST)	-	○	○		
			PUHY-P280/355/450/560IKM-C(ST)	-	○	○		
			PUHY-P140/160/224/280/355/400~450/500~560EM-*	-	○	○		
			PUHY-P224~560REM-A	-	○	○		
			PUHY-P280~450/560EKM-A	-	○	○		
			PUHY-P280~450/560EKM-A-KT	-	○	○		
			PUHY-P140/160/224/280/335/355/400(V)M-E	-	○	○		
			PUHY-P450(V)M-E	-	○	○		
			PUHY-P500/560/630/674/730(V)M-E	-	○	○		
			PUHY-P784/840/900(V)SM-E	-	○	○		
			PUHY-P500/560/630/670/730SM-E	-	○	○		
			PUHY-P450/730KM-E	-	○	○		
			PUHY-P280/355/450/560MKH-E	-	○	○		
			PUHY-P500/560/630/670/730VSM-E	-	○	○		
			PUHY-P450/730VKM-E	-	○	○		
			PUHY-P140/160/224/280/335/355/400/450/500(V)(S)CM-E	-	○	○		
			PUHY-P140/160/224/280/335/355/400/450/500(S)CM-E1	-	○	○		
			PUHY-P140/160/224/280/335/400/450/500CM-E2	-	○	○		
			PUHY-P280/335/400/450SCM-E2	-	○	○		
			PUHY-P500CM-E2	-	○	○		
			PUHY-P224/280/335/400/450/500/560CM-E3	-	○	○		
			PUHY-P280/335/400/450/500SCM-E3	-	○	○		
			PUHY-P224/280/335/400/450/500/560(S)DM-G	-	○	○		
			PUHY-P224/280/335/400/450/500/560VCM-G	-	○	○		
			PUHY-P280/335/400/450/500VSCM-G	-	○	○		
			PUHY-P224/280/335/400/450/500/560(S)DMG2	-	○	○		
			PUHY-P224/280/335/400/450/500/560(S)DMG3	-	○	○		
			PUHY-P224/280/335/400/450/500/560(S)DMG4	-	○	○		
			PUHY-P224/280/335/400/450/500/560(S)DMG5	-	○	○		
			PUHY-P224/280/335/400/450/500/560(S)DMG6	-	○	○		
			PUHY-P224/280/335/400/450/500/560DMG7	-	○	○		
			PUHY-P224/280/335/400/450/500/560DMG9	-	○	○		
			空冷 冷暖切替 シティマルチY（高効率Ex）	PUHY-EP	PUHY-EP140/160/224/280/400CM-E3	-	○	○
					PUHY-EP224/280/335SCM-E3	-	○	○
PUHY-EP224/280/335/400(S)DM-G	-	○			○			
PUHY-EP140/160/224/280/400VCM-G	-	○			○			
PUHY-EP224/280/335VSCM-G	-	○			○			
PUHY-EP140/160/224/280/335/400/450/500/560(S)DMG2	-	○			○			
PUHY-EP140/160/224/280/335/400/450/500/560(S)DMG3	-	○			○			
PUHY-EP140/160/224/280/335/400/450/500/560(S)DMG4	-	○			○			
PUHY-EP140/160/224/280/335/400/450/500/560(S)DMG5	-	○			○			
PUHY-EP140/160/224/280/335/400/450/500/560(S)DMG6	-	○			○			
空冷 冷暖切替 グランマルチ	PUHY-GP	PUHY-GP224/280/335/400(S)DMG	-	○	○			
		PUHY-GP224/280/335/400(S)DMG3	-	○	○			
		PUHY-GP224/280/335/400(S)DMG4	-	○	○			
		PUHY-GP224/280/335/400(S)DMG5	-	○	○			
		PUHY-GP224/280/335/400(S)DMG6	-	○	○			
		PUHY-GP224/280/335/400DMG7	-	○	○			
		空冷 冷暖切替 高効率グランマルチ	PUHY-SGP	PUHY-SGP160/224/280(S)DMG6	-	○	○	
				PUHY-SGP224/280DMG7	-	○	○	
				PUHY-SGP160KDMG7	-	○	○	
		空冷 冷暖切替 リブレスマルチY（高効率）	PUHY-RP	PUHY-RP140/160/224/280/335/355/400(S)CM-E	-	○	○	
PUHY-RP140/160/224/280/335/355/400(S)CM-E1	-			○	○			
PUHY-RP140/160/224/280/335/355/400CM-E3	-			○	○			
PUHY-RP224/280/335/400SCM-E3	-			○	○			
PUHY-RP140/160/224/280/335/355/400(S)DM-G	-			○	○			
PUHY-RP224/280(S)DMG2	○			○	○			
PUHY-RP335/400(S)DMG2、-RP355DMG2	-			○	○			
PUHY-RP140/160/224/280(S)DMG3	○			○	○			
PUHY-RP335/400(S)DMG3、-RP355DMG3	-			○	○			
PUHY-RP140/160/224/280(S)DMG4	○			○	○			
PUHY-RP335/400(S)DMG4、-RP355DMG4	-			○	○			
PUHY-RP140/160/224/280/335/355/400/450(S)DMG5	○			○	○			
PUHY-RP140/160/224/280/335/355/400/450(S)DMG6	○			○	○			
PUHY-RP140/160/224/280/335/355/400/450DMG7(-E)	-			○	○			
PUHY-RP140/160/224/280/335/355/400/450DMG9(-E)	-			○	○			
空冷 冷暖切替 リブレスマルチY（高効率Ex）	PUHY-ERP	PUHY-ERP140/160/224/280/335(S/K)DM-G	-	○	○			
		PUHY-ERP140/160/224/280/335(S/K)DMG2	-	○	○			
空冷 冷暖切替 リブレスグランマルチ	PUHY-GRP	PUHY-GRP140/160/224/280/335(S/K)DMG3	-	○	○			
		PUHY-GRP140/160/224/280/335(S/K)DMG4	-	○	○			
		PUHY-GRP140/160/224/280/335(S/K)DMG5	-	○	○			
		PUHY-GRP140/160/224/280/335(S/K)DMG6	-	○	○			
		PUHY-GRP224/280DMG7	-	○	○			
		PUHY-GRP140/160/335KDMG7	-	○	○			
空冷 冷暖切替 スバ暖マルチY	PUHY-HP	PUHY-HP224/280SCM-E、PUHY-HP355SCM-E	-	○	○			
		PUHY-HP224/280SCM-E1、PUHY-HP355SCM-E1	-	○	○			
		PUHY-HP224/280SCM-G、PUHY-HP355SCM-G	-	○	○			
		PUHY-HP224/280SCMG1、PUHY-HP355SCMG1	-	○	○			
		PUHY-HP160/224/280/335SDMG3	-	○	○			
空冷 冷暖切替 スバ暖マルチY7	PUHY-WP	PUHY-WP224/280/335/400SDMG3	-	○	○			
		PUHY-WP224/280/335/400SDMG5	-	○	○			
		空冷 冷暖切替 リブレススバ暖マルチY	PUHY-HRP	PUHY-HRP224/280SCM-E	-	○	○	
				PUHY-HRP224/280SCM-G	-	○	○	
				PUHY-HRP224/280SCMG1	-	○	○	
空冷 冷暖切替 リブレススバ暖マルチY7	PUHY-WRP	PUHY-HRP160/224/280/335SDMG3	-	○	○			
		PUHY-WRP224/280/335/400SDMG3	-	○	○			
PUHY-WRP224/280/335/400SDMG5	-	○	○					

MELく〜るLINK Ver.2.1.0 機能別 国内管理対象機器一覧

※対象機種には耐塩使用（形名末尾**BS）、重耐塩使用（形名末尾**BSG）を含みます。

改定日付

2024.5.14

凡例 ○：対応 -：非対応

機種群	シリーズ	略称	形名	冷媒漏えい診断	運転データ見える化	異常発報		
ビル用マルチエアコン	空冷 冷暖同時 シティマルチR2（高効率）	PURY-P	PURY-P224/280(V)M-B	-	○	○		
			PURY-P*** (V)BM-B					
			PURY-P224/280/335/400/450(V)M-E					
			PURY-P500/560/630/674/730(V)M-E					
			PURY-P224/280/335/400/450(S)CM-E					
			PURY-P224/280/335/400CM-E1					
			PURY-P224/280/335/400SCM-E1					
			PURY-P224/280/335/400/450(S)CM-G					
			PURY-P224/280/335/400/450SCMG1					
			PURY-P224/280/335/400/450SCMG1					
			PURY-P224/280/335/400/450DMG					
			PURY-P280/335/400/450SDMG					
			PURY-P224/280/335/400/450/500DMG3					
			PURY-P280/335/400/450/500SDMG3					
			PURY-P224/280/335/400/450/500DMG4					
			PURY-P280/335/400/450/500SDMG4					
			PURY-P224/280/335/400/450/500DMG5					
			PURY-P280/335/400/450/500SDMG5					
			PURY-P224/280/335/400/450/500DMG6					
			PURY-P280/335/400/450/500SDMG6					
			空冷 冷暖同時 シティマルチR2高効率Ex	PURY-EP	PURY-EP224/280/335/400CM-E	-	○	○
					PURY-EP224/280/335/400SCM-E			
					PURY-EP224/280/335/400(S)CM-G			
					PURY-EP224/280/335/400CMG1			
					PURY-EP224/280/335/400SCMG1			
	PURY-EP224/280/335/400CMG1							
	PURY-EP224/280/335/400SCMG1							
	PURY-EP224/280/335/400DMG3							
	PURY-EP400DMG3-M							
	PURY-EP224/280/335/400SDMG3							
	PURY-EP450KDMG3							
	PURY-EP224/280/335/400DMG4							
	PURY-EP400DMG4-M							
	PURY-EP224/280/335/400SDMG4							
	PURY-EP450KDMG4							
	PURY-EP224/280/335/400DMG5							
	PURY-EP400DMG5-M							
	PURY-EP224/280/335SDMG5							
	PURY-EP450KDMG5							
	PURY-EP224/280/335/400DMG6							
	PURY-EP400DMG6-M							
	PURY-EP224/280/335SDMG6							
	PURY-EP450KDMG6							
	空冷 冷暖同時 リブレスマルチR2（高効率）	PURY-RP			PURY-RP224/280CM-E	-	○	○
					PURY-RP224/280/335/400(S)CM-E3, PURY-RP450KCM-E3			
			PURY-RP224/280CM-EG					
			PURY-RP224/280/335/400(S)CM-G, PURY-RP450KCM-G					
			PURY-RP224/280CM-EG1					
			PURY-RP224/280/335/400CMG1					
			PURY-RP224/280/335/400SCMG1					
			PURY-RP450KCMG1					
			PURY-RP224/280/335/400CMG4					
			PURY-RP224/280/335/400SCMG4					
	PURY-RP450KCMG4							
	空冷 冷暖同時 スバ暖マルチR2	PURY-HP	PURY-HP224/280SDMG	-	○	○		
			PURY-HP224/280SDMG6					
	FiEマルチ	PUSY-FP	PUSY-FP80(S)/112(S)/140(S)/160/224/280MH(2)	○	○	○		
	空冷 冷暖切替 シティマルチS	PUSY-P	PUSY-P80/112/140SMH	-	○	○		
			PUSY-P80/112/140MH					
			PUSY-P*** (S)M-B					
			PUSY-P*** (S)M-E					
			PUSY-P***M-E1					
			PUSY-P*** (S)MG1					
	空冷 冷暖切替 スバ暖マルチS	PUSY-HP	PUSY-HP80/112/140MH4	○	○	○		
			PUSY-HP***MH*（上記以外）	-	○	○		
	水冷 冷暖切替 シティマルチWY	PQHY-P	PQHY-P224/280M-B	-	○	○		
			PQHY-P224/280M-E, PQHY-P450/560SM-E					
			PQHY-P224/280/335SCM-E					
			PQHY-P224/280/335SCM-G					
			PQHY-P224/280/335SCMG1					
			PQHY-P224/280/335/355K/400/450/500/560/630/670DMG4					
			PQHY-P224/280/335/355K/400/450/500/560/630/670DMG5					
	水冷 冷暖同時 シティマルチWR2	PQRY-P	PQRY-P224/280M-B	-	○	○		
			PQRY-P224/280M-E, PQRY-P450/560SM-E					
			PQRY-P224/280/335SCM-E					
			PQRY-P224/280/335SCM-G					
			PQRY-P224/280/335SCMG1					
	水冷 冷暖同時 リブレスマルチWR2	PQRY-RP	PQRY-P224/280/335/355K/400/450/500/560/630/670DMG4					
			PQRY-P224/280/335/355K/400/450/500/560/630/670DMG5					
			PQRY-RP224/280/335SCM-E	-	○	○		
			PQRY-RP224/280/335SCM-G					
			PQRY-RP224/280/335SCMG1					

MELく〜るLINK Ver.2.1.0 機能別 国内管理対象機器一覧

改定日付

※対象機種には耐塩使用（形名末尾**BS）、重耐塩使用（形名末尾**BSG）を含みます。

2024.5.14

凡例 ○：対応 -：非対応

機種群	シリーズ	略称	形名	冷媒漏えい診断	運転データ見える化	異常発報
設備用パッケージエアコン	ファシリアDD		PFHV-P80/140DMJ1	-	○	○
			PFHV-P224/280/450/560/670/800/1120/1400/1600DMJ1	○	○	○
	ファシリアDD オールフレッシュタイプ		PFHV-P167DMJ1-F	-	○	○
			PFHV-P265/335/530/670/1000/1250/1600DMJ1-F	○	○	○
	ファシリアDD リブレスタイプ		PFHV-RP224/280/450/560DMJ	○	○	○
			PFHV-HP224/280/450/560DMJ	-	○	○
	ファシリアDD スバ暖タイプ 一般設備 標準タイプ（床置形）		PFHV-140DM-E1	-	○	○
			PFHV-P224/280/450/560DM-E1	○	○	○
			PFHV-P670/800/1120/1400/1600DM-E1	-	○	○
			PFHV-P224/280/450/560DME3	-	○	○
	一般設備 標準タイプ（床置形） オールフレッシュ		PFHV-P167/1000/1250/1600DM-E1-F	-	○	○
			PFHV-P265/335/530/670DM-E1-F	○	○	○
	年間冷房中温用（床置形）		PFHV-P265/335/530/670DME3-F	-	○	○
			PFTV-140DM-E1	-	○	○
			PFTV-P224/280/450/560DM-E1	○	○	○
			PFTV-P670/800/1120/1400/1600DM-E1	-	○	○
	一般設備 リブレスタイプ（床置形）		PFTV-P224/280/450/560DME3	-	○	○
			PFHV-RP670/800CM-E	○	○	○
	一般設備 スバ暖タイプ（床置形）		PFHV-HP670/800CM-E	-	○	○
	ユニット内洗浄可能タイプ	PFHV-P**C(D)M-WE	PFHV-P280DM-WE1/PFHV-P560CM-WE	○	○	○
		PFHV-P**DMWJ	PFHV-P280/560DMWJ	-	○	○
	工場用（天吊形）		PCHV-P140DM-E2	-	○	○
			PCHV-P224/280DM-E	○	○	○
		PCHVX-P224/280/450/560DM-E(1)	-	○	○	
		PCHVD-P450/560DM-E(1)	-	○	○	
		PCHVT-P560DM-E	-	○	○	
中低温用（天吊形）		PCTF-P195/235MA	○	○	○	
		PCTFX-P200/240/370/460MA	-	○	○	
		PCTFD-P375/465MA	-	○	○	
		PCTFT-P475MA	-	○	○	
		PCTFX-P210/245LA	-	○	○	
		PCTFS-P200/240/375/475LA	-	○	○	
		PCTFD-P250/500LA	-	○	○	
		PCTFT-P375LA	-	○	○	
電算室用パッケージエアコン	電算室用パッケージエアコン 標準/リブレス専用	PUD-(R)P**CM-E	PUD-P224/280(S)CM-E	○	○	○
			PUD-RP224/280CM-E	-	○	○
	電算室用パッケージエアコン デラックスシリーズ	PUD-P**DM-E PUD-P**CM(D)-E	PUD-P280(S)CMD-E	○	○	○
		PUD-P480(S)DM-E	-	○	○	
チラー	空冷式モジュールチラー DT-R	CA(H)V-(M)P**	CAV/CAHV-P850/1180/1500/1800A(-P)	-	○	○
			CAV/CAHV-P850/1180/1500/1800A(E)(2)(-P,N)	-	○	○
			CA(H)V-MP1180/1500/1800/2000/2360(V)B(-P,-N)	○	○	○
			CAHV-MP1180/1500/1800(V)BH	-	○	○
			CAV-MP1800BC(-N)	-	○	○
			CAV-MP1800BC-P	-	○	○
			CAV-MP1800VBC(-N)	-	○	○
			CAV-MP1800VBC-P	-	○	○
店舗用パッケージエアコン	Mr.スリム （※アダプター経由）	※室外機形名で記載	PUZ-ZRMP/HA12/KA12/KA2/LA12、PU-CRMP/(S)HA12/KA12/LA12	○	○	○
			PUZ-ERMP/HA12/KA12/KA2/LA12	-	○	○
			PUZ-ZRMP/HA13/KA13/KA3/LA13、PU-CRMP/(S)HA13/KA13/LA13	○	○	○
	Mr.スリム スバ暖シリーズ （※アダプター経由）		PUZ-ERMP/HA13/KA13/KA3/LA13	-	○	○
			PUZ-DHRMP/KA/KA2 PUZ-HRMP/KA6/KA7 ～21年度発売モデル	○	○	○
○スナイ、RDF	○スナイ、RDF		-	○	○	